


PARTS LIST

MODEL
1695691



Not for
Reproduction


PRODUCT COMPONENTS	PAGES
Handles and Controls Group	4
Engine and Frame Group	8
Auger Drive Group	10
Auger Housing Group	12
Traction Drive Group	14
Wheels and Tires Group	16
Decals Group	18
Discharge Chute Group	20
Gear Case Assembly	22
Torque Specification Chart	Inside Back Cover

Not for
Reproduction

Handles and Controls Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2988583



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Handles and Controls Group

REF NO	PART NO.		DESCRIPTION
0010	1923701SM	1	CAPSCREW, Hex Head, 3/8-16 x 2
0020	1736305AYP	1	BRACKET, Light Mount
0050	50786MA	1	SPRING, 3/4
0060	1918266SM	1	WASHER, 3/8
0070	1919439SM	1	NUT, Hex Lock, Esna Light, 3/8-16
0080	1737690YP	1	LEVER, Clutch, Left
0090	1667588SM	1	BUSHING
0100	1736836YP	1	SPEED LEVER
0120	1921962SM	4	CAPSCREW, Hex Head, 1/4-20 x 1-3/4
0130	1737684YP	1	BRACKET, Controls
0140	1734354SM	1	ROD, 25 Inch
0150	1931277SM	3	NUT, Hex Flange, Whiz Lock, 5/16-18
0170	2820263SM	2	NUT, Hex, 5/16-24
0180	1736147YP	1	BRACKET, Mounting, Panel, Left
0190	50782MA	1	BALLJOINT, Steel
0200	1917356SM	1	LOCKWASHER, Spring, 5/16
0230	1737019YP	1	WIRE HARNESS, Headlights
0270	1501874MA	1	BUSHING, Chute Crank
0290	1931323SM	1	BOLT, Carriage, 1/4-20 x 2 (Grade 5)
0300	1920397SM	4	NUT, Hex Lock, Esna Light, 1/4-20
0310	1927429SM	2	SCREW, Hex Washer Head, Taptite, 1/4-20 x 5/8
0330	1736346YP	1	COVER ASSEMBLY, Panel
0340	1960556SM	2	SCREW, Pan Head, Torx, 1/4-20 x 3/4
0360	1922837SM	2	CAPSCREW, Hex Head, 1/4-20 x 1-1/2 (Grade 5)
0370	340720MA	3	BOLT, Carriage, 5/16-18 x 3/4
0380	1736354YP	1	BRACKET, Mounting, Panel, Right
0390	1737685AYP	1	SUPPORT, Dash Panel
0400	1732471SM	1	ASSEMBLY, Cable and Spring, Auger Drive, Right
0410	1736323YP	1	LEVER, Clutch, Right
0420	1923358SM	2	NUT, Hex Centerlock, 1/4-20
0430	1726317SM	2	GRIP
0440	1736542YP	2	SPACER, Stepped
0450	1678392SM	2	SPACER
0460	1735589YP	1	BRACKET, Rod Support
0470	1734587ASM	1	HANDLE, Upper, Right
0480	1734586ASM	1	HANDLE, Upper, Left
0490	1960273SM	2	BOLT, Carriage, 5/16-18 x 2-1/2 (Grade 5)
0500	1737759AYP	1	HANDLE, Lower
0510	1960686SM	4	NUT, Hex Flange, Esna, 5/16-18
0520	1736208YP	1	HEAD LIGHT ASSEMBLY
0530	1664847SM	2	SCREW, Hex Washer Head, Taptite, 5/16-18 x 3/4

Footnotes


The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Handles and Controls Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2988583



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Handles and Controls Group

REF NO	PART NO.		DESCRIPTION
0540	313441MA	1	BRACKET, Cable Adjusting
0550	308146MA	1	BOOT, Spring End Cover, 4 Inch
0560	1502113MA	1	CABLE, Front Drive
0670	1701011SM	5	TIE, Self Locking
0680	1733192SM	1	KNOB, Slot Speed
0700	1921319SM	2	WASHER, 1/4
0710	316042MA	2	SCREW, Hex Washer Head, #10 x 5/8
0750	1960589SM	1	SCREW, Phillips, #10-24 x 3/4
0760	1933896SM	1	NUT, Hex Lock, 10-24
0790	1931338SM	2	BOLT, Carriage, 5/16-18 x 1-3/4 (Grade 5)
0880	7091081SM	2	SCREW, Self Tap, 1/4-15 x 3/4
0900	1935048SM	2	NUT, Hex Flange, Two Way Lock, 5/16-18
0910	1921333SM	2	CAPSCREW, Hex Head, 5/16-18 x 1 (Grade 5)
0930	71071MA	2	WASHER, Flat

Not for
Reproduction

Footnotes


The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Engine and Frame Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2988429



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Engine and Frame Group

REF NO	PART NO.		DESCRIPTION
0010	15C114-0121-E8	1	*ENGINE, 11.5 TP B&S
0020	761332MA	1	CORD, Electric, 220V
0050	002X97MA	4	BOLT, Carriage, 5/16-18 x1-1/2
0060	028X76MA	4	NUT, Push, For 1/4 DIA Thread
0070	2831277SM	1	NUT, Whiz Lock, 5/16-18
0080	1501109MA	1	PULLEY, Engine
0090	1919381SM	2	WASHER, 5/16
0110	1921982SM	1	CAPSCREW, Hex Head, 5/16-24 x 1-1/4 G8
0120	1733324SM	1	V-BELT, 3L
0130	585416MA	1	BELT, Auger, V4L
0140	1733014SM	1	STOP, Belt
0150	1917356SM	3	LOCKWASHER, Spring, 5/16
0160	1921515SM	2	CAPSCREW, Hex Head, 5/16-24 x 3/4 G5
0170	1501112YZMA	1	IDLER BRACKET
0180	1501065MA	1	BUSHING, Idler Bracket
0190	53704MA	1	SPRING, Ext Idler
0200	1502120MA	2	IDLER, Plastic Ball Bearing
0210	1960251SM	2	NUT, Hex Centerlock, Jaam, 3/8-16
0220	585781MA	1	BOLT, Carriage, 3/8-16 x 1-1/4 G5
0230	1501226YZMA	1	AUGER IDLER
0240	1501200MA	1	SPACER, 1 x 1-3/4
0250	1960027SM	1	WASHER, 1/2
0260	1733451SM	1	ARM, Control
0270	711682MA	1	PIN, Hair
0280	1736381YP	1	PIN, Clevis
0290	1740906ASM	1	PANEL, Bottom
0300	1927429SM	12	SCREW, Hex Washer Head, Taptite, 1/4-20 x 5/8
0310	165X159MA	1	SPRING, Extn Auger
0320	1740571BIYP	1	FRAME BOX
0330	1733583BIYP	1	PLATE, Engine Mount
0340	1924856SM	4	SCREW, Hex Washer Head, Taptite, 5/16-18 x 1/2
0350	1664847SM	6	SCREW, Hex Washer Head, Taptite, 5/16-18 x 3/4
0360	1502169MA	1	COVER, Belt
0370	26X306MA	2	SCREW, Hex, With Ext. Tooth Washer, 1/4-AB x 3/4
0410	910828MA	1	BOLT, Hex, 5/16-24 x 1
0420	7023590SM	1	COTTER PIN, 1/4
0460	1960686SM	3	NUT, Hex Flange, Esna, 5/16-18

Footnotes

Note* See your local Briggs & Stratton distributor for parts and service.


The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Auger Drive Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2988334



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Auger Drive Group

REF NO	PART NO.		DESCRIPTION
0220	1740736BJYP	1	AUGER, Left
0230	1740737BJYP	1	AUGER, Right
0240	9524MA	2	SCREW, Hex Head, 1/4-20 x 1.75 (Grade 2)
0250	3943MA	2	SPACER, Sleeve, 1/4 x 1/2
0260	73826MA	2	NUT, Hex Centerlock, 1/4-20
0270	1501158MA	1	SPACER, Friction Pulley
0280	2001022MA	1	KEY, Square, 3/16 X 3/4
0290	583146MA	1	PULLEY, 8.4, V4L
0300	15X112MA	1	NUT, Hex Flange, Serrated, 1/2-20
0600	1738603YP	1	GEAR CASE ASSEMBLY

Not for
Reproduction

Footnotes


The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Auger Housing Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2988335



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Auger Housing Group

REF NO	PART NO.		DESCRIPTION
0010	1737926BIYP	1	HOUSING, ASSEMBLY, 27
0020	1736620YP	2	CLIP, Retainer
0030	1960569SM	2	SCREW, Truss Head, Torx #10-24 x 3/8
0040	15X146MA	2	NUT, Nylock, 10 x 24
0060	1736094YP	1	BRUSH, Cleanout
0070	53757MA	2	BEARING, Auger
0080	25X021MA	6	SCREW, Hex Head Cap, 5/16-18 x 3/4
0090	7091547YP	4	BOLT, Carriage, 3/8-16 x 3/4 (Grade 5)
0100	7091619SM	4	NUT, Hex Flange, 3/8-16
0110	710026MA	7	NUT, Hex Flange, Serrated, 5/16-18
0150	1737986AYP	2	SKID, Height Adjust
0160	1740745AYP	1	BLADE, Scraper, 27
0170	582957YZMA	1	RETAINER, Ball Bearing
0180	1705897SM	1	BEARING, Ball
0190	001X45MA	3	BOLT, Hex, 5/16-18 x 5/8
0200	760040MA	2	PLUG, Panel
0210	7090799SM	4	BOLT, Carriage, 5/16-1/ x 5/8 (Grade 5)

Not for
Reproduction

Footnotes


The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Traction Drive Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2988389



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Traction Drive Group

REF NO	PART NO.		DESCRIPTION
0200	579851MA	1	CHAIN, Roller, 420 x 19
0210	334163MA	4	RETAINER & BUSHING ASSEMBLY
0220	579858MA	5	WASHER, Flat, 1/2
0230	1924856SM	8	SCREW, Hex Washer Head, Taptite, 5/16-18 x 1/2
0240	579868MA	1	CHAIN, Roller, 420 x 18
0250	11X30MA	5	RETAINER, Ring, 7/16
0260	1502105YZMA	1	SPRING LINK,
0300	1736469YP	3	SPRING, Extension
0310	1501090MA	1	SPROCKET SET, 33/7T
0320	1960027SM	2	WASHER, 1/2
0330	1501092YZMA	1	AXLE
0340	1501563MA	1	AXLE
0350	001X93MA	1	BOLT, Hex, 1/4-20 x 1-3/4 G8
0420	1501089MA	1	AXLE SPROCKET, 30T
0430	1501114MA	2	BEARING, Axle, D-Hole
0440	1501100MA	1	SHAFT, Hex, 7T
0450	337029MA	1	HUB, Friction Wheel and Bearing
0460	1501435MA	1	WHEEL, Friction
0500	1921959SM	3	CAPSCREW, Hex Head, 1/4-20 x 5/8 G5
0510	1928372SM	3	NUT, Hex Keps, 1/4-20
0520	1733326SM	1	RING, Retaining,
0530	15X114MA	1	NUT, Flange Lock, 3/8-24
0540	1501057YZMA	1	PLATE, Swinging
0550	1501158MA	1	SPACER, Friction Pulley
0560	1501115MA	1	FRICTION PULLEY ASSEMBLY
0600	1501110YZMA	1	SPEED SELECTOR
0610	579944MA	1	BEARING, FLANGE, 1/2ID x 7/8OD
0620	1920397SM	2	NUT, Hex Lock, Esna Light, 1/4-20
0630	1922837SM	1	CAPSCREW, Hex Head, 1/4-20 x 1-1/2 G5
0640	579860MA	1	SPOOL CABLE, Auger Control
0650	1501059YZMA	1	BRACKET, Cable Spool
0660	1501122MA	1	CABLE, Front Drive Lower All

Footnotes


The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Wheels and Tires Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2988582



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Wheels and Tires Group

REF NO	PART NO.		DESCRIPTION
0010	1501839MA	1	WHEEL AND TIRE ASSEMBLY, 16 x 4.8, XTRACM, Left (Includes Ref. Nos. 0010-20 a 0010-30)
0010-20	2172353SM	21	VALVE STEM & CAP
0010-30	1735666SM	21	TIRE, 4.80-8, X-TRAC TL
0020	1501838MA	1	WHEEL AND TIRE ASSEMBLY, 16 x 4.8, XTRACM, Right (Includes Ref. Nos. 0020-20 and 0020-30)
0020-20	2172353SM	1	VALVE STEM & CAP
0020-30	1735666SM	1	TIRE, 4.80-8, X-TRAC TL
0030	1657528SM	2	RING, Retaining
0040	712120MA	2	WASHER
0050	1501138MA	2	BUSHING, Wheel, 5-1/2, 16 Tire
0060	577015MA	1	BOLT, Hex, 1/4-20 x 1-3/4 (Grade 5)
0070	15X145MA	1	NUT, Hex Nylock, 1/4-20
0080	73842MA	1	PIN, Klik

Not for
Reproduction

Footnotes


The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Decals Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2988431



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Decals Group

REF NO	PART NO.		DESCRIPTION
0040	1727207SM	1	DECAL, Chute Warning, Export
0050	1737867YP	1	DECAL, Danger Auger Icons
0060	1737869YP	1	DECAL, Auger Control Symbols
0070	1737870YP	1	DECAL, Traction Control Symbols
0080	304427MA	1	DECAL, Face Head Phones
0085	1738348YP	1	DECAL, Crank, Chute Rotation
0095	1736616YP	1	DECAL, Gear Shift, P8/P9
0100	1736891YP	1	DECAL, Dash
0110	1738197YP	1	DECAL, Auger Housing, 27 Inch
0120	-----	1	LABEL, Serial Data (Not A Servicable Part)

Not for
Reproduction

Footnotes

The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

NOTE: Unless noted otherwise, use the standard hardware torque specification chart.

[illegible]

1695691 - Dual Stage 27" Snowthrower (2009)

Discharge Chute Group

REF NO	PART NO.		DESCRIPTION
0050	1925003SM	4	SCREW, Hex Washer Head, Taptite, 1/4-20 x 1/2
0100	1736719YP	1	CHUTE ASSEMBLY
0120	1736038YP	1	GEAR / CHUTE SUPPORT
0130	1960715SM	3	SCREW, Truss Head, Torx Drive, 1/4-20 x 3/4
0140	1736444AYP	1	RING, Chute Base
0160	002X97MA	1	BOLT, Carriage, 5/16-18 x 1-1/2
0170	1735767YP	1	GUIDE, Chute Ring
0200	1733026SM	1	WASHER, 1/2
0210	1732412SM	1	BOLT, Shoulder, 5/16-18 x 5/8 (Grade 5)
0220	1960684SM	4	NUT, Hex Keps, 5/16-18
0230	1734423ASM	1	SUPPORT, Gear Crank
0240	1922127SM	2	CAPSCREW, Hex Head, 5/16-18 x 1-3/4 (Grade 5)
0250	1734440SM	1	SUPPORT, Worm
0260	1734439SM	1	WORM, Chute, Left
0270	1667588SM	1	BUSHING
0280	1501293MA	1	PIN, Hair
0290	1960762SM	1	NUT, Hex Lock Jam, Esna Light, 3/8-24
0300	1734542SM	1	WASHER, Cup
0310	1736195AYP	1	CHUTE SUPPORT
0320	1734442SM	1	COVER, Gear
0330	1935048SM	1	NUT, Hex Flange, Two Way Lock, 5/16-18
0360	2X100MA	2	BOLT, Carriage, 5/16-18 x 1
0370	1501260MA	1	KNOB, Wing
0380	691005	4	SCREW, Hex Washer Head
0390	5025391SM	8	NUT, Hex Nylock Flange, 1/4-20
0400	02X101MA	1	BOLT, Carriage, 1/4-20X0.75
0420	1960093SM	1	NUT, Push
0430	1714084SM	1	KNOB, Spinner
0440	1735661YP	1	CRANK, Chute Handle
0450	1735660YP	1	ROD AND YOKE
0460	578060MA	1	PIN, Universal Joint
0470	578063MA	1	BLOCK, Universal Pivot
0480	579493MA	1	PIN, Cotter
0490	1733611SM	1	YOKE AND TUBE, Chute
0510	578309MA	2	PIN, Clevis
0530	1733475SM	1	GUARD, Chute
0540	1737683AYP	1	BRACKET, Chute Guard
0550	1738174YP	2	GROMMET, Chute Guard
0560	1960140SM	2	NUT, Push
0570	1925003SM	2	SCREW, Hex Washer Head, Taptite, 1/4-20 x 1/2

Footnotes


The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Gear Case Assembly

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

1737603



The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Gear Case Assembly

REF NO	PART NO.		DESCRIPTION
0010	48275MA	2	WASHER, Thrust
0020	50684MA	1	BEARING, Roll
0030	583126MA	1	BEARING, Flange
0040	895MA	1	CASE, Gear, Left
0050	896MA	1	CASE, Gear, Right
0060	760529MA	1	SHAFT, Auger Out
0070	79305MA	1	KEY, Woodruf
0080	53730MA	1	GEAR, Worm
0090	53732MA	1	WORMGEAR
0100	897MA	1	GASKET, Gear Box
0110	53737MA	1	RING, Quad
0120	50795MA	1	KEY, HI-PRO
0130	53731MA	1	BEARING, Sleeve
0140	53743MA	2	BEARING, Sleeve
0150	780151MA	2	SEAL, Oil
0160	53749MA	1	PLUG, Pipe
0170	53748MA	2	WASHER, Flat, 1
0180	71100MA	8	NUT, Hex Flange, Serrated Lock, 5/16-24
0190	910828MA	7	BOLT, Hex, 5/16-24 x 1
0200	330434MA	1	SCREW, Hex Head, 5/16-24 x 1-1/2
0210	1740584AYP	1	IMPELLER

Footnotes

The above parts group applies to the following Mfg. Nos.:

1695691 - Dual Stage 27" Snowthrower (2009)

Not for
Reproduction

Not for
Reproduction

Not for
Reproduction

Hardware Identification & Torque Specifications

Common Hardware Types

Hex Head Capscrew



Washer



Lockwasher



Carriage Bolt



Hex Nut




Standard Hardware Sizing

When a washer or nut is identified as **1/2"**, this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch; if a second number is present it represents the *threads per inch*

When bolt or capscrew is identified as **1/2 - 16 x 2"**, this means the *Nominal size*, or *body diameter* is 1/2 inch; the second number represents the *threads per inch* (16 in this example, and the final number is the *body length* of the bolt or screw (in this example 2 inches long).

The guides and ruler furnished below are designed to help you select the appropriate hardware and tools.



Torque Specification Chart

FOR STANDARD MACHINE HARDWARE (Tolerance $\pm 20\%$)

Hardware Grade	No Marks SAE Grade 2		SAE Grade 5		SAE Grade 8	
	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.0
5/16-18	11	15.0	17	23.1	25	34.0
5/16-24	12	16.3	19	25.8	27	34.0
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.0
7/16-14	30	40.8	50	68.0	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.0	75	102.0	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.0
9/16-18	75	102.0	120	163.2	170	231.2
5/8-11	90	122.4	150	204.0	220	299.2
5/8-18	100	136	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.0
3/4-16	180	244.8	300	408.0	420	571.2
7/8-9	140	190.4	400	544.0	600	816.0
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,244.0
1-12	240	326.4	640	870.4	1,000	1,360.0


NOTES

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- Recommended seating torque values for locknuts:
 - for prevailing torque locknuts - use 65% of grade 5 torques.
 - for flange whizlock nuts and screws - use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings, all torque values must meet this specification.


Wrench & Fastener Size Guide



1/4" Bolt or Nut
Wrench—7/16"




5/16" Bolt or Nut
Wrench—1/2"



3/8" Bolt or Nut
Wrench—9/16"



7/16" Bolt or Nut
Wrench (Bolt)—5/8"
Wrench (Nut)—11/16"



1/2" Bolt or Nut
Wrench—3/4"

Not for
Reproduction