




PARTS LIST



Models

Mfg. No.	Description
7800532	309007X151B, Lawn Tractor (2009-10)

Manual Part No. 1742457

Revision B

Rev. Date: 3/4/2010

Not for
Reproduction


PRODUCT COMPONENTS	PAGES
Chassis & Hood	4
Steering	8
Motion Drive	10
Decals	14
Electrical System	16
Mower Housing	18
Mower Housing Suspension	22
Torque Specification Chart	Inside Back Cover

Not for
Reproduction

Chassis & Hood

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0003



The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Chassis & Hood

REF NO	PART NO.	QTY.	DESCRIPTION
1	7101860YP		SEAT
2	1401379E701MA		HOOD
3	017X47MA		WASHER
4	1001054MA		BOLT, Wing
5	002X16MA		BOLT, Carriage
6	1401378E701MA		BRACKET, Hinge
7	009X29MA		BOLT, Shoulder
8	009X56MA		BOLT, Shoulder
10	1401113MA		ROD, Battery
11	015x84MA		NUT, Flange
12	885269ZYP		PLATE, Rear
13	26X249MA		SCREW
14	1401050E701MA		PLATE, Hitch
15	1401087MA		COVER
16	26X263MA		SCREW
17	1401076E701MA		TRAY, Battery
18	015X79MA		NUT, Flange
19	017X45MA		WASHER
20	0031X6MA		PIN, Cotter
21	092317MA		CAP, Fuel Tank
22	1401404MA		TANK, Fuel
23	06X111MA		SCREW
24	26X253MA		SCREW
25	26X263MA		SCREW
26	1401110MA		ROD, Hood Prop
27	1401282MA		SPRING, Seat Deck
28	1401110MA		BRACKET, Prop Rod
29	26X201MA		SCREW
30	15X116MA		NUT, Nylock
31	1401248MA		CONTROL, Throttle
32	1401214MA		COVER, Detent
33	009X47MA		BOLT, Shoulder
34	1401208MA		HEAT SHIELD, Hood L.H.
35	1401209MA		HEAT SHIELD, Hood Upper
36	1401229MA		FOOTMAT, Left
37	1401228MA		FOOTMAT, Right
39	885058ZYP		FRAME (Use on models before Serial Number 2013621655)
39	885370ZYP		FRAME (Use on models after Serial Number 2013621655)
40	1401316E701MA		DECK, Seat
41	094744MA		BUMPER
42	15X116MA		NUT
43	0025X2MA		SCREW
44	1401385MA		HEAT SHIELD, Hood R.H.

Footnotes


The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Chassis & Hood

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0003



The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Chassis & Hood

REF NO	PART NO.	QTY.	DESCRIPTION
45	1401075MA		TRIM, Left
46	1401074MA		TRIM, Right (Gray)
48	1401380MA		PLENUM
49	15X123MA		NUT, Hex 5/16--18
51	1401401MA		HEAT SHIELD
52	095197MA		CLAMP, Hose
53	1401402MA		LINE, Fuel
54	0193X1MA		FASTENER, Panel
--	1401239MA		PARTS BAG
--	1742456		INSTRUCTION BOOK
--	1742457		MANUAL, Parts List

Not for
Reproduction

Footnotes


The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Steering

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0013



The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Steering

REF NO	PART NO.	QTY.	DESCRIPTION
1	1001980MA		WHEEL, Steering
2	1001982MA		INSERT, Steering
3	1401045MA		CONSOLE, Low (Black)
4	26X250MA		SCREW
5	1401090MA		BEARING, Upper Steering
6	1401107MA		TUBE, Steering
7	1401100MA		SHAFT, Steering
8	1401055E701MA		SUPPORT, Steering
9	26X249MA		SCREW
10	009X67MA		BOLT, Shoulder
11	1401098MA		BEARING, Lower Steering
12	1401102MA		ROLLER
13	1401058E701MA		PLATE, Gear Mounting
14	1401123E701MA		LINK, Drag
15	015X84MA		NUT, Flange
16	710083MA		WASHER
17	015X88MA		NUT, Flange
18	01X111MA		BOLT, Hex
19	17X118ZMA		WASHER
20	1401099MA		GEAR, Pinion
21	01X146MA		BOLT, Hex
22	011X23MA		E-RING, Retainer
23	030X35MA		PIN, Cotter
24	094131MA		RETAINER, Spring
25	1401046E701MA		RACK, Steering
26	17X201MA		WASHER
27	1401376E701MA		BRACKET, Axle Front
28	17X157MA		WASHER
29	1401250E701MA		AXLE & SPINDLE ASSEMBLY
30	885036ZYP		BRACKET, Support
31	15X118MA		NUT, Flange
32	1401381601MA		WHEEL, Front
33	17X197MA		WASHER
34	17X157MA		WASHER
35	094618MA		CAP, Hub
36	0025X3MA		SCREW, Hex
37	17X146MA		WASHER

Footnotes


The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Motion Drive

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0005



The above parts group applies to the following Mfg. Nos.:
7800532 - 309007X151B

Motion Drive

REF NO	PART NO.	QTY.	DESCRIPTION
1	215807-0135-B1		ENGINE, Briggs & Stratton *
2	692236		GASKET, Muffler
3	1401358MA		MUFFLER
4	092378MA		LOCK, Muffler Screw
5	01X134MA		BOLT, Hex
6	1401375MA		SHIELD, Heat
7	1401357MA		TUBE, Exhaust
8	1741784ZYP		BRACKET, Shift Lever Weldment
9	001x75MA		BOLT, Hex
10	01x121MA		SCREW
11	885058ZYP		FRAME (Use on models before Serial Number 2013621655)
11	885370ZYP		FRAME (Use on models after Serial Number 2013621655)
12	17X217MA		WASHER
13	030X20MA		PIN, Cotter
14	009X39MA		BOLT, Shoulder
15	017X91MA		WASHER
16	1742526ZYP		PLATE, Transaxle
17	094815ZMA		NUT, Adjusting
18	1401305ZMA		ROD, Clutch Hydro
19	165X165MA		SPRING, Brake
20	015X88MA		NUT
21	1742524YP		SPRING, Roll Release
22	1742527ZYP		BRACKET, Torque
23	015X84MA		NUT
24	1401268E701MA		BRACKET, Left Transaxle
25	26X249MA		SCREW
26	1401337MA		GRIP
27	1401112MA		ROD, Parking Brake
28	021544MA		PEDAL
29	1401304ZMA		ROD, Roll Release
30	1401127E701MA		ROD, Clutch/Brake
31	017X38MA		WASHER
32	1401303E701MA		BRACKET, Roll Release
33	017X53MA		WASHER
34	26X216MA		SCREW
35	164X39MA		Spring, Compression
36	15X119MA		NUT
37	1401042E701MA		BRACKET, Right Transaxle
38	015X79MA		NUT
39	0025X7MA		SCREW
40	1401057E701MA		PLATE, Belt Guide
41	1401105MA		GUIDE, Belt, Long
42	0031X4MA		PIN, Hair

Footnotes

Note* See your local Briggs & Stratton distributor for parts and service.

Note** For information on Replacement Parts for this transaxle contact the manufacturer.


The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Motion Drive

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0005



The above parts group applies to the following Mfg. Nos.:
7800532 - 309007X151B

Motion Drive

REF NO	PART NO.	QTY.	DESCRIPTION
43	1401104MA		GUIDE, Belt, Short
45	1401032E701MA		BRACKET, Lift Pivot
46	1401307ZMA		ROD, Shift Link
47	1741756MA		GRIP
48	1401148ZMA		NUT, Adjusting
49	1401356MA		LEVER, Shift
50	1401340ZMA		BRACKET, Pivot
51	165X147MA		SPRING, Variator Drive
52	1741785ZYP		ARM, Idler (Use on models before Serial Number 2013621655)
52	885372ZYP		ARM, Idler (Use on models after Serial Number 2013621655)
53	017X91MA		WASHER
54	015x88MA		NUT, 5/16-18
55	0025x3MA		SCREW, Hex
56	1742528ZYP		BRACKET, Brake Spring Extension (Use on models before Serial Number 2013621655)
56	885373ZYP		BRACKET, Brake Spring Extension (Use on models after Serial Number 2013621655)
58	1401260E701MA		PLATE, Reinforcement
61	1401031E701MA		ARM, Rear
62	094067MA		PIN, Threaded
63	01X156MA		BOLT, Hex
64	1401301E701MA		BRACKET, Left Rear Hanger
65	1401302E701MA		BRACKET, Right Rear Hanger
67	01X140MA		BOLT, Hex
68	019X35MA		LOCKWASHER
69	17X170MA		WASHER
70	1401308MA		PULLEY STACK
71	1742461YP		BELT, Drive, 4L
72	1401396MA		HEAT SHIELD
75	002X53MA		BOLT, Carriage
76	26X263MA		SCREW
77	06X103MA		SCREW
78	015X98MA		LOCKNUT
79	1401309MA		PULLEY, Idler
84	-----		TRANSAXLE **
86	056534MA		KEY, Square
87	1401103MA		SPACER, Rear Wheel
88	17X160MA		WASHER
89	1401120MA		WHEEL & TIRE ASSEMBLY
--	1664090SM		TUBE (ONLY)
--	1720337SM		TIRE (ONLY)
90	0011X3MA		E-Ring
91	17X195MA		WASHER
92	094618MA		HUB CAP
93	17X174ZMA		WASHER

Footnotes

Note* See your local Briggs & Stratton distributor for parts and service.

Note** For information on Replacement Parts for this transaxle contact the manufacturer.


The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Decals

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0015



The above parts group applies to the following Mfg. Nos.:
7800532 - 309007X151B

Decals

REF NO	PART NO.	QTY.	DESCRIPTION
1	48X724MA	1	DECAL, Engagement
2	885217YP	2	DECAL, Cut Finger Signal
3	1742422YP	2	DECAL, Model Series RM50
5	48X4032MA	1	DECAL, Warning, Export
6	48X727MA	1	DECAL, Height Adjust, 6 Positions
8	48X726MA	1	DECAL, Park Brake Symbol
9	48X728MA	1	DECAL, Throttle Control
10	48X736MA	1	DECAL, Clutch/Brake XPT
11	48X729MA	1	DECAL, Gas Gauge
12	44X5936MA	1	DECAL, Heat Shield Warning
13	48X511MA	1	DECAL, Warning Load Limit, Export
14	44X6828MA	1	DECAL, Warning Pinch Point
15	44X7027MA	1	DECAL, Deck Level
17	7102205YP	2	DECAL, Murray Logo
16	48x5182MA	1	DECAL, Decal Auto Disconnect
19	1742415YP	1	DECAL, Briggs 10.5
20	1742417YP	1	DECAL, DECK WIDTH 76cm

Not for
Reproduction

Footnotes

The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

NOTE: Unless noted otherwise, use the standard hardware torque specification chart.

WIRING HARNESS FOR:
" Mid-Engine Rider
HARNESS - 250x147MA

15 AMP FUSE

RED

ORANGE

SOLENOID 1002004MA

024x24MA

RED

024x37MA BATTERY

BLACK

SPARK PLUG

ARMATURE

YELLOW

STATOR

DIODE

RED DC OUTPUT

STARTER

IGNITION SWITCH

OFF	M+G
RUN1	B+L
START	B+S

IGNITION SWITCH VIEWED FROM BACK

SEAT SWITCH

SEAT SWITCH UNOCCUPIED

094159MA

TEST PORT

CLUTCH BRAKE SWITCH DISENGAGED (PEDAL UP)

1001575MA

PTO SWITCH DISENGAGED PTO OFF

GRAPHIC REPRESENTATION OF IGNITION SWITCH (SHOWN IN OFF POSITION)

Briggs and Stratton Yard Power Products Group
Copyright © 2010 by Briggs and Stratton Corporation
Milwaukee, WI, USA. All rights reserved

Electrical System

REF NO	PART NO.	QTY.	DESCRIPTION
1	250X147MA		HARNESS, Chassis Wire
2	1401149MA		SWITCH, Ignition
--	327349MA		KEY, Ignition
3	1001575MA		SWITCH, Limit
4	054212MA		FUSE
--	407078MA		HOLDER, Fuse
5	1002004MA		SOLENOID
--	26X229MA		SCREW, Mounting
--	15X116MA		LOCKNUT
6	24X37MA		CABLE, Battery Ground
7	-----		BATTERY, 165CCA, 7.2V
--	002X82MA		BOLT, Carriage
--	014X79MA		WINGNUT
8	094159MA		SWITCH, Seat Sensor
9	024X24MA		CABLE, Red Battery
--	690604MA		BOOT, Battery Terminal, Positive
10	032618MA		STRAP, Tie

Not for
Reproduction

Footnotes


The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Mower Housing

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0009



The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Mower Housing

REF NO	PART NO.	QTY.	DESCRIPTION
1	37X111MA		BELT, Blade Drive
2	1401092MA		PULLEY, Input
3	15X140MA		LOCKNUT, 9/16-18
4	015X98MA		NUT, Flange, 3/8-16
5	1401252MA		PULLEY, Idler
6	015X84MA		NUT, Flange
7	1401031E701MA		ARM, Rear
8	015X79MA		NUT, Flange, 5/16-18
9	009X58MA		BOLT, Shoulder
10	1401033E701MA		LINK, Lift
11	017X45MA		WASHER
12	0031X4MA		PIN, Hair
13	094067MA		PIN, Threaded Shoulder
14	1401047E701MA		BRACKET, Left Rear
15	1401296E701MA		BRACKET, Right Rear
16	1401038E701MA		PLATE, Adjustment
17	094137MA		PAD, Friction
18	017X45MA		WASHER
19	095004MA		WINGNUT
20	166X43MA		SPRING, Left Torsion
21	166X42MA		SPRING, Right Torsion
22	1401095MA		TUBE, Spacer
23	1401037E701MA		BRACKET, Deck
24	1401040E701MA		HANGER, Front
26	1401065MA		SHAFT, Splined
27	1401258E701MA		ARM ASSEMBLY, Idler
28	009X39MA		BOLT, Shoulder, 3/8-16 x 5/8
29	017X47MA		WASHER
30	165X157MA		SPRING, Extension
31	166X46MA		SPRING, Torsion
32	009X42MA		BOLT, Shoulder, 3/8-16 x 5/8
34	030X20MA		PIN, Cotter
35	1401185E701MA		ARM ASSEMBLY, Brake
36	1401119MA		LINK, Idler Arm
37	025X23MA		BOLT, 3/8-16
38	1401052E701MA		BRACKET, Brake Mounting
39	1401094MA		SPACER, Jackshaft
40	1401259ZMA		PLATE, Idler Mounting
42	019X45MA		WASHER
43	002X94MA		BOLT, Carriage
45	002X53MA		BOLT, Carriage, 5/16-18 x 5/8
47	1401028E701MA		HOUSING, Blade
48	1401106E701MA		HINGE, Mulching Cover

Footnotes


The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Mower Housing

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0009



The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Mower Housing

REF NO	PART NO.	QTY.	DESCRIPTION
49	015X88MA		NUT, Flange, 5/16-18
50	028X76MA		NUT, Speed
51	014X86MA		WINGNUT
52	002X74MA		BOLT, Carriage, 5/16-18 x 3/4
53	091767ZMA		ROD, Chute Deflector
54	028X23MA		CAP, Push
55	1401080MA		COVER, Mulch
56	1401275MA		MANDREL HOUSING
57	1001035MA		ADAPTER, Blade
58	1401079E701MA		BLADE
59	17X166MA		WASHER, Cup
60	17X165MA		WASHER
61	15X100MA		NUT, Blade Mount
62	1401081MA		DEFLECTOR, Chute
63	017X91MA		WASHER
64	025X23MA		BOLT
65	7300836ZMA		PLATE, Jackshaft Support
66	1742536ZYP		GUARD, Deck Left
67	1742364ZYP		GUARD, Deck Right
68	1742365ZYP		GUARD, Deck Front

Footnotes


The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Mower Housing Suspension

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

0011



The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Mower Housing Suspension

REF NO	PART NO.	QTY.	DESCRIPTION
1	1741756MA		GRIP, Lift Lever
2	1401117MA		LEVER, Lift
3	165X154MA		SPRING, Extension
4	094137MA		PAD, Friction
5	017X45MA		WASHER
6	095004MA		WINGNUT
7	1401033E701MA		LINK, Lift
8	1401096MA		TUBE, Spacer
9	0031X4MA		PIN, Hair
10	002X93MA		BOLT, Carriage
11	1401030E701MA		BRACKET, Front Hanger Pivot
12	1401118MA		PIN, Front Hanger
13	26X249MA		SCREW
14	1401129E701MA		ARM ASSEMBLY, Lifter
15	17X206MA		WASHER
17	015X79MA		NUT, Flange
18	015X84MA		NUT, Flange
19	1401147MA		SPRING, Leaf
20	1401040E701MA		HANGER, Front
21	1401116MA		LEVER, PTO
22	26X229MA		SCREW
23	1741757MA		GRIP, PTO
24	1401369E701MA		BRACKET, PTO
25	009X42MA		BOLT, Shoulder
26	165X157MA		SPRING, Extension
27	165X92MA		SPRING, Extension
30	1401260E701MA		PLATE, Reinforcement
31	26X267MA		SCREW
32	1742367ZYP		GUARD, Right Rear

Footnotes

The above parts group applies to the following Mfg. Nos.:

7800532 - 309007X151B

Not for
Reproduction


Not for
Reproduction

Not for
Reproduction

Hardware Identification & Torque Specifications

Torque Specification Chart								
FOR STANDARD METRIC MACHINE HARDWARE (Tolerance ± 20%)								
Property Class	 Class 5.6		 Class 8.8		 Class 10.9		 Class 12.9	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
M3	5.88	.56	13.44	1.28	19.2	1.80	22.92	2.15
M4	13.44	1.28	30.72	2.90	43.44	4.10	52.56	4.95
M5	26.4	2.50	60.96	5.75	5.97	8.10	7.15	9.7
M6	44.64	4.3	7.3	9.9	10.3	14	12.1	16.5
M7	5.2	7.1	12.1	16.5	16.9	23	19.9	27
M8	7.7	10.5	17.7	24	25	34	29	40
M10	15	21	35	48	50	67	59	81
M12	26	36	61	83	86.2	117	103	140
M14	42	58	101	132	136	185	162	220
M16	64	88	147	200	210	285	250	340
M18	89	121	202	275	287	390	346	470
M20	126	171	290	390	405	550	486	660
M22	169	230	390	530	559	745	656	890
M24	217	295	497	375	708	960	840	1140
M27	320	435	733	995	1032	1400	1239	1680
M30	435	590	995	1350	1401	1900	1681	2280
M33	590	800	1349	1830	1902	2580	2278	3090
M36	759	1030	1740	2360	2441	3310	2935	3980
M39	988	1340	2249	3050	3163	4290	3798	5150


The guides and ruler furnished below are designed to help you select the appropriate hardware.



Nut, M8

Thread
Diameter (mm)
Inside
Diameter (in) Threads
per inch


Nut, 1/2-16



Screw, M8- 1.25 x 25

Thread
Diameter (mm) Distance between
threads (mm) Body
Length (mm)
Body
Diameter Threads
per inch Body
Length (in)

Screw, 1/2- 16 x 2



Standard Hardware Sizing

When a washer or nut is identified as **1/2"** (M8), this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch (8mm metric thread diameter); if a second number is present it represents the *threads per inch* (distance between threads).

When bolt or capscrew is identified as **1/2 - 16 x 2"** (M8 - 1.25 x 50), this means the *Nominal size*, or body diameter is 1/2 inch (8mm metric thread diameter), the second number, 16, represents the *threads per inch*, (1.25 thread diameter). The final number is the body length of the bolt or screw, 2 inches (50mm).

Torque Specification Chart						
FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)						
Hardware Grade	 SAE Grade 2		 SAE Grade 5		 SAE Grade 8	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.0
5/16-18	11	15.0	17	23.1	25	34.0
5/16-24	12	16.3	19	25.8	29	34.0
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.0
7/16-14	30	40.8	50	68.0	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.0	75	102.0	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.0
9/16-18	75	102.0	120	163.2	170	231.2
5/8-11	90	122.4	150	204.0	220	299.2
5/8-18	100	136	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.0
3/4-16	180	244.8	300	408.0	420	571.2
7/8-9	140	190.4	400	544.0	600	816.0
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,244.0
1-12	240	326.4	640	870.4	1,000	1,360.0

NOTES

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- Recommended seating torque values for locknuts:
 - for prevailing torque locknuts - use 65% of grade 5 torques.
 - for flange whizlock nuts and screws - use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings, all torque values must meet this specification.

Common Hardware Types

Hex Head Capscrew



Washer

Carriage Bolt



Lockwasher



Hex Nut

Wrench & Fastener Size Guide

 1/4" Bolt or Nut Wrench—7/16"	 5/16" Bolt or Nut Wrench—1/2"	 3/8" Bolt or Nut Wrench—9/16"	 7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"	 1/2" Bolt or Nut Wrench—3/4"
M6 Bolt or Nut Wrench—10mm	M8 Bolt or Nut Wrench—13mm	M10 Bolt or Nut Wrench—17mm	M12 Bolt or Nut Wrench—19mm	M14 Bolt or Nut Wrench—22 mm

Not for
Reproduction

**IT IS THE POLICY OF BRIGGS & STRATTON CORP. TO IMPROVE ITS PRODUCTS
WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO
MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY
OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS.**

Briggs & Stratton Yard Power Products Group

3515 N. 124 Street / PO Box 702
Wauwatosa, WI 53222 USA

www.murray.com

© Copyright 2010 by Briggs & Stratton Corporation
Milwaukee, WI, USA. All rights reserved