




PARTS MANUAL



Mower Decks

Mfg. No.	Description
2691041-00	0 - EZT2042, 20HP B&S w/42" Mower Deck, CE (2012)
2691041-01	1 - EZT2042, 20HP B&S w/42" Mower Deck, CE (2012)

Manual Part No. 1753974

Revision A


Rev. Date: 12/21/2011

PRODUCT COMPONENTS	PAGES
Frame Group	4
Engine Group - 20HP Briggs & Stratton	6
Front Axle Group - RZT	8
Transaxle Group - EZT	10
Controls Group	12
Electrical Group	14
Seat, Body & Fuel Tank Group	16
Park Brake Group - RZT	18
Lift Group	20
Wheel & Tire Group	24
Decal Group	26
French Guard Group - Frame & Deck	28
42" Mower Deck - Housing, Arbors & Blades Group	30
42" Mower Deck - Clutch & Support Group	32
Torque Specification Chart	Inside Back Cover

Frame Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990155



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Frame Group

REF NO	PART NO.	QTY.	DESCRIPTION
0010	7091601SM	2	NUT, Hex Flange Lock, 5/16-18, G5
0020	7300140BIYP	1	FOOTREST
0030	7090799SM	2	BOLT, Carriage, Short Neck, 5/16-18 x 5/8, G5
0040	1716654SM	2	BOLT, Shoulder, 5/16-18 x .89 (3/4 Thread Length)
0050	1664847SM	4	SCREW, Hex Washer Head, Self Tap, 5/16-18 x 3/4
0060	1664847SM	4	SCREW, Hex Washer Head, Taptite, 5/16-18 x 3/4
0070	1753517BMYP	1	TUBE, Bumper, Lower
0080	1927557SM	2	NUT, Hex Flange, Whiz Lock, 5/16-18
0090	1753572BIYP	1	PLATE, Brand
0100	1931338SM	4	BOLT, Carriage, Short Neck, 5/16-18 x 1-3/4, G5
0110	7301123BMYP	1	TUBE, Bumper, Upper
0120	1960686SM	4	NUT, Hex Flange, ESNA, 5/16-18
0190	7301073BIYP	1	FRAME
0200	7103830YP	1	MAT, Floor Pan
0210	7104571YP	2	PAD, Foot

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Engine Group - 20HP Briggs & Stratton

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990285



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Engine Group - 20HP Briggs & Stratton

REF NO	PART NO.	QTY.	DESCRIPTION
0010	7090188SM	3	WASHER, Flat, 5/16"
0020	7091908YP	1	CAPSCREW, Hex , 5/16-18 x 1-3/4, G5
0030	7090324SM	3	SCREW, Hex Washer, Self Tap, 3/8-16 x 1
0040	7091198SM	2	SCREW, Hex Washer, Self Tap, 3/8-16 x 5/8
0050	7301083BMYP	1	HEAT SHIELD, Muffler
0060	7301084BMYP	1	PANEL, Control, LH
0070	7090999SM	12	SCREW, Pan Head Taptite Torx, 1/4-20 x 5/8
0080	7103411YP	1	MUFFLER, RZT
0090	1935255SM	2	NUT, Speed Lug Type, 5/16-18
0100	7091601SM	1	NUT, Hex Flange Lock, 5/16-18
0110	7900020SM	1	HARNESS CLIP, 5/8"
0120	7091318SM	1	CAPSCREW, Hex Head, 5/16-18 x 3/4, G5
0130	1930591SM	2	CAPSCREW, Hex Head, Flange Whiz Lock, 5/16-18 x 3/4
0140	1737462YP	1	HARNESS, Jumper
0150	7092130SM	1	CAPSCREW, Hex Head, 7/16-20 x 4-1/2, G5
0160	7091904YP	1	CAPSCREW, Hex Head, 5/16-18 x 7/8, G5
0170	7091301YP	1	WASHER, Split Lock, 7/16"
0180	7011763SM	1	FENDER WASHER, 5/16"
0190	7029138SM	1	WASHER, Flat, .468 ID x 1-1/2" OD
0200	7091575SM	1	NUT, Hex Flange Whiz Lock, 5/16-18
0210	1686880SM	1	CLUTCH, Electric Ogura
0220	7043343SM	1	ASSEMBLY, Engine Pulley
0230	7016755YP	1	KEY, 1/4" Square x 3/4"
0240	7091584SM	1	NUT, Hex Flange Lock, 1/4-20
0250	7091738SM	4	SCREW, 5/16-18 x 3/4
0260	7091315SM	5	WASHER, Split Lock, 5/16"
0270	7103414YP	1	MANIFOLD, B&S V-Twin
0280	1731214SM	2	GASKET, Exhaust
0290	1726498SM	1	HOSE, Oil Drain
0300	7091511SM	1	NUT, Hex, 5/16-18, G5
0320	7200140YP	1	HOSE, Fuel
0330	7029900SM	2	CLAMP, Hose
0340	7012080SM	3	CABLE TIE, 7"
0350	7091017YP	1	SCREW, Cross Recess Fillister Head, #8-32 x 3/8, G2
0360	7103888YP	1	KNOB, Throttle, Red
0370	7091018YP	1	NUT, Hex, #8-32, G2
0380	7301093BMYP	1	PANEL, Control, RH
0390	7103771YP	1	THROTTLE ASSEMBLY
0410	1734025SM	1	WIRES & CONNECTORS ASSEMBLY, Jumper
0430	7023295SM	4	U-NUT, 1/4-20
0500	406777-0172-B1	1	* ENGINE, 20 HP, B&S (Engine Model: 406777-0172-B1)
0500	406777-0173-B1	1	* ENGINE, 20 HP, B&S (Engine Model: 406777-0173-B1)

Footnotes

Note* To verify your specific engine model, please reference the ID Tag located on your engine. See your local Briggs & Stratton distributor for parts and service.

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Front Axle Group - RZT

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990149



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Front Axle Group - RZT

REF NO	PART NO.	QTY.	DESCRIPTION
0010	7091318SM	4	CAPSCREW, Hex Head, 5/16-18 x 3/4, G5
0020	7090188SM	8	WASHER, Flat, 5/16"
0030	7091601SM	8	NUT, Flange Lock, 5/16-18
0040	1930644SM	1	NUT, Hex Flange, Two-Way Lock, 1/2-13
0050-10	7103773YP	2	PLATE, Friction, Adhesive Backed
0050-30	7301076BMYP	1	BRACKET, Axle
0070	1931334SM	10	BOLT, Carriage, Short Neck, 5/16-18 x 7/8, G5
0080	7091811SM	4	BOLT, Hex Flange Lock, 5/16-18 x 5/8, G5
0090	7301096BMYP	1	BRACKET, Hanger, Front
0100	7091706SM	8	NUT, Hex Top Lock, 5/16-18, GR B
0110	7300004BMYP	2	BRACKET, Axle Support
0120	1734135SM	2	HUB CAP, 1.481 I.D x 5/8"
0130	1611710SM	2	RING, Klipring External for .750 Dia. Shaft
0140	1960160SM	4	WASHER, 0.750 ID x 1.60 OD
0150	7091587SM	1	WASHER, Flat, 1/2" (SAE)
0160	7091558SM	1	CAPSCREW, Hex Head, 1/2-13 x 3-1/2
0170	1733448BMYP	2	CASTER YOKE & SPINDLE
0190	7013864SM	3	LUBE FITTING, 3/16" Press Fit
0180	7103454YP	2	BUSHING, Axle Pivot
0200	1733426ASM	1	AXLE, Front Iron Casting Machined ZT

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Transaxle Group - EZT

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990137



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Transaxle Group - EZT

REF NO	PART NO.	QTY.	DESCRIPTION
0010	7104657YP	1	TRANSAXLE, Hydro Gear, RH
0020	015X88MA	8	NUT, Hex Flange, Center Lock, 5/16-18
0030	7104656YP	1	TRANSAXLE, Hydro Gear, LH
0040	7103512YP	2	ROD, Roll Release
0050	1725550SM	1	CLIP, Rod End Clevis, LH (for 3/16 Dia. Rod)
0060	7103537YP	2	CAP, Vinyl
0070	7104674YP	1	RUBBER, Anti-Rotation
0080	7011763SM	1	WASHER, Fender, 5/16
0090	7091908YP	1	CAPSCREW, Hex Head, 5/16-18 x 1-3/4, G5
0100	7100102SM	1	V-BELT, Hydro Drive (HA section, 58.00" effective length)
0110	7044760SM	1	SPRING, Torsion, RH Wind
0120	7400208BMYP	1	IDLER, Hydro
0130	7091305SM	1	CAPSCREW, Hex Head, 3/8-16 x 2, G5
0140	7200034SM	1	SPACER, Hydro Idler
0150	7100103SM	1	IDLER, Backside, 3-1/7 OD x .391 ID x 1-5/8"
0170	7091587SM	1	WASHER, Flat, 1/2 ID x 1 OD
0180	7090122YP	1	WASHER, Flat, 3/8
0190	7091218SM	1	CAPSCREW, Hex Head, 1/2-13 x 2-1/2, G5
0200	7091585SM	1	NUT, Hex Center Lock, 3/8-16, G5
0210	7091830SM	4	CAPSCREW, Hex Head, 5/16-18 x 3, G5
0220	7015686SM	4	WASHER, Shim, 5/16 ID x 3/4 OD
0230	7400288BMYP	1	SUPPORT, Transaxle
0240	7091944SM	4	CAPSCREW, Hex Head, 5/16-18 x 2-3/4, G5
0250	7090188SM	5	WASHER, Flat, 0.34 ID x 5/8 OD
0260	1664847SM	8	SCREW, Hex Washer Head, Self Tap, 5/16-18 x 3/4
0270	1717024SM	1	CLIP, Rod End Clevis, RH (for 3/16 Dia. Rod)
0280	7091894SM	1	NUT, Hex Center Lock, 1/2-13, G5
0290	7300000BMYP	2	BRACKET, Transaxle Support
0300	7091575SM	1	NUT, Hex Center Lock, 5/16-18, G5
0500	7600158YP	2	KIT, Hub Replacement (Includes Ref. Nos. 0510-10 & 0510-20)
0500-10	----	1	HUB, EZT Transmission
0500-20	----	1	NUT, EZT Transmission
0510	1728075SM	1	ASSEMBLY, Parking Brake Arm, Transmission
0520	7600157YP	2	KIT, Fan & Pulley, EZT (Includes Ref. 0520-10, 0510-20, 0520-30, 0510-40 & 0520-50)
0520-10	----	1	NUT, Hex Jam, 1/2-20
0520-20	----	1	WASHER, Slotted
0520-30	----	1	PULLEY, Transmission, 4-1/2"
0520-40	----	1	FAN, Transmission, 6"
0520-50	----	1	HUB, Pulley
0530	1728060SM	1	KIT, Hydro Seal (Includes all parts shown in box.)

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Controls Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990106



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Controls Group

REF NO	PART NO.	QTY.	DESCRIPTION
0010	7100051YP	2	GRIP, Handle
0020	7301168BZYP	2	HANDLE, Adjustable
0030	1935048SM	4	NUT, Hex Flange, Two Way Lock, 5/16-18
0040	7091714YP	4	BOLT, Carriage, Short Neck, 5/16-18 x 1, G5
0050	1922837SM	4	CAPSCREW, Hex Head, 1/4-20 x 1-1/2, G5
0060	7090372SM	4	NUT, Hex Center Lock, 1/4-20, G5
0070	7104677YP	2	ROD, Handle, Adjustable
0080	7074628BZYP	2	BRACKET, Handle Adjustment
0090	7091628SM	2	WASHER, Flat, 5/8 ID x 1 OD
0100	7100715YP	1	ARM, Control, LH
0110	7091497SM	2	CAPSCREW, Hex Head, 3/8-16 x 1-1/2, G5
0120	7090324SM	6	SCREW, Hex Washer Head, Self Tap, 3/8-16 x 1
0130	7043302BMYP	1	BRACKET, Control, LH
0140	7090913SM	4	CAPSCREW, Hex Head Flange Taptite, Torx, #10C x 1/2
0150	7300032BMYP	2	BRACKET, Switch
0160	7090290SM	12	SCREW, Hex Washer Head, Self Tap, 1/4-20 x 3/4
0170	1922918SM	2	CAPSCREW, Hex Head, 3/8-16 x 3-1/4, G5
0180	7301075BMYP	1	BRACKET, Lever, Parking Brake
0190	7091601SM	8	NUT, Hex Flange Lock, 5/16-18, G5
0200	7900016SM	2	WASHER, Nylon 5/16
0210	7023206YP	2	SPACER, 3/8 ID x 5/8 OD x 1/2" Long
0220	7104704YP	2	CLIP, Spring, 5/8 OD Shaft
0230	7301072BMYP	1	BRACKET, Fender Support, RH
0240	7100714YP	2	SPACER, Sleeve
0250	7090122YP	2	WASHER, Flat, 3/8
0260	7091585SM	4	NUT, Hex Center Lock, 3/8-16, G5
0270	7013874SM	8	BUSHING
0280	7091540YP	2	CAPSCREW, Hex Head, 5/16-18 x 1-1/2, G5
0290	7027174SM	2	CAPSCREW, Hex Head, 5/16-18 x 2, G5
0300	5100728SM	2	DAMPENER, Control
0310-10	7091594SM	1	PIN, Cotter, Self Locking, 1/2
0310-20	7091630SM	1	NUT, Hex, 3/8-24, G5
0310-30	7100743YP	1	ROD END
0310-40	7104168YP	1	ROD, Link, Forward / Reverse
0310-50	7900000SM	1	PIN, Clevis, 7/16 x 1
0310-60	7031961YP	1	WASHER, Flat, 7/16
0320	7300009AYP	2	PLATE, Forward / Reverse Adjust
0330	7301128BMYP	1	BRACKET, Guide, Stick, Control, LH
0340	1960294SM	2	NUT, Hex Flange, Whiz Lock, 1/4-20
0350	7301129BMYP	1	BRACKET, Guide, Stick, Control, RH
0360	7091573YP	2	BOLT, Carriage, Short Neck, 1/4-20 x 5/8, G5
0370	7043330BMYP	1	BRACKET, Control, RH
0380	7100717YP	1	ARM, Control, RH

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Electrical Group

NOTE: Unless noted otherwise, use the standard hardware torque specification chart.

2990150



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Electrical Group

REF NO	PART NO.	QTY.	DESCRIPTION
0010	024X31MA	1	CABLE, Battery Positive, 8 Gage, 18", Red
0020	091488MA	1	CAP, Ignition Switch
0030	1665237SM	1	WIRE, 12 Gage, 8", Red
0040	1665238SM	1	BREAKER, Circuit 12 Volt 20 AMP w/Tab
0050	1677296SM	1	COVER, Battery Cable, Red
0060	1722887SM	1	SWITCH, PTO, Push/Pull Symbols
0070	1724588SM	1	COVER, Terminal, Red Vinyl
0080	1737853YP	1	SWITCH ASSEMBLY, Ignition (Includes Ref. Nos. 0020 & 0230)
0090	7023354YP	1	SWITCH, Push Button (NC)
0100	7023355YP	3	SWITCH, DPDT (NC/NO)
0110	7090072SM	2	CAPSCREW, Hex Head, 1/4-20 x 5/8, G5
0120	7042956SM	1	CABLE, Starter, 8 Gage, 14", Black
0130	7075622SM	1	SOLENOID, Super Trombetta, 2 Terminal
0140	7090072SM	2	CAPSCREW, Hex Head, 1/4-20 x 5/8, G5
0150	7090372SM	2	NUT, Hex Nylock, 1/4-20
0160	7091294SM	4	WASHER, Flat, 1/4"
0170	7091315SM	1	WASHER, Spring Lock, 5/16
0180	7091511SM	1	NUT, Hex, 5/16, G5
0190	7091584SM	6	NUT, Hex Flange Lock, 1/4-20
0210	7100308SM	1	HOLD DOWN, Battery
0220	7100309SM	1	BRACKET, Battery
0230	7100329YP	1	NUT, E-Start, 5/8-32
0240	----	1	BATTERY, 8U1L, 12 Volt, 230 CCA
0250	7100636SM	1	CABLE, Battery Negative, 8 Gage, 20", Black
0260	7103412YP	1	HARNESS, Wiring, ZT
1200	1737836YP	1	KEYS, Ignition (set of two, one coated)

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Seat, Body & Fuel Tank Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990286



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Seat, Body & Fuel Tank Group

REF NO	PART NO.	QTY.	DESCRIPTION
0010	7103775YP	1	FENDER, RH
0040	7091246YP	2	SCREW, Pan Head Torx, 1/4-20 x 3/4
0060	7103815YP	1	FUEL TANK ASSEMBLY (Includes Ref. Nos. 0060-10, 0060-20, 0060-30 & 0060-40)
0060-10	1715917SM	1	CAP, Fuel Tank
0060-20	1726400SM	1	BUSHING, Fuel Tank, Rubber
0060-30	-----	1	TANK, Fuel (Not a serviceable part. Order Ref. No. 0060)
0060-40	7103536YP	1	ELBOW ASSEMBLY, Pickup Tube
0070	7301216BZYP	1	COVER, Battery
0080	1722611SM	1	PLUG
0090	7104514YP	2	STRIP, Trim, 1-1/2
0110	7013847YP	2	RETAINER, Bolt, , 3/8
0120	7103776YP	1	FENDER, LH
0130	7301107BMYP	1	BRACKET, Support, Seat & Fender
0140	7091575SM	4	NUT, Hex Center Lock, 5/16-18, G5
0150	7043316BMYP	1	BRACKET, Seat Support
0160	7090815YP	4	SCREW, Hex Washer Head, Self Tap, 3/8-16 x 3/4
0170	7091298YP	2	NUT, Hex Lock, ESNA, 5/16-18
0180	7301101BMYP	2	BRACKET, Support, Fender
0190	7027168SM	2	CAPSCREW, Hex Head, 5/16-18 x 1, G5
0200	7103425YP	2	SPRING, Compression, 3-5/8"
0210	7091591SM	2	BOLT, Hex Flange, 5/16-18, x 1, G5
0230	7301126BMYP	1	PLATE, Side, RH
0290	7011763SM	2	WASHER, Fender, 5/16
0300	7103920YP	4	SPACER, Seat, Adjustable
0310	7103777YP	1	COVER, Engine
0320	1722460SM	1	PIN, Quick, 1-3/16"
0330	7103998YP	1	ROD, Pivot, Hood
0350	7011791SM	4	RETAINER, Bolt, 5/16
0360	7103673BMYP	1	LATCH, Seat
0370	885215YP	1	COVER, Lever, Seat Adjustment
0380	1919381SM	4	WASHER, 5/16
0390	1930595SM	4	SCREW, Hex Flange, Whiz Lock, 5/16-18 - 1-1/4
0400	7015761YP	2	BOLT, Shoulder, 5/16-18 x 3/4" (1/2" Thread Length)
0410	7091198SM	2	SCREW, Hex Washer Head, Self Tap, 3/8-16 x 5/8
0420	7301095BMYP	1	PLATE, Seat, Adjustable
0440	7301070BMYP	1	BRACKET, Seat
0450	1931211SM	1	NUT, Hex Flange, Whiz Lock, 3/8-16
0460	7301110BMYP	1	BRACKET, Support, Fuel Tank
0470	017X47MA	1	WASHER, Flat, 0.34 ID x 5/8 OD
0480	7091086YP	1	CAPSCREW, Hex Head, 3/8-16 x 3/4, G5
0490	1925003SM	2	SCREW, Hex Washer Head, Taptite, 1/4-20 x 1/2
0510	7301217BZYP	2	BRACKET, Cover, Battery
0520	025X15MA	2	SCREW, Hex Washer Head, Thread Rolling, 3/8-16 x 3/4

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Park Brake Group - RZT

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990151



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Park Brake Group - RZT

REF NO	PART NO.	QTY.	DESCRIPTION
0010	7091560YP	1	CAPSCREW, Hex Head, 3/8-16 x 2-1/4, G5
0020	7090517SM	2	WASHER, Flat, .438 ID x 1 OD
0030	7301074YP	1	LEVER, Brake, Park
0040	7028036YP	1	SPRING, Friction Pack
0060	7091299SM	1	NUT, Hex, Nylock, 3/8-16
0070	7103792YP	1	CABLE, Park Brake
0080	7091017YP	1	SCREW, Fillister Head, Cross Recessed, #8-32 x 3/8, G2
0090	7023655YP	1	LEVER, Throttle Control
0100	7091018YP	1	NUT, Hex, #8C, G2B
0110	7090913SM	2	CAPSCREW, Hex Head Flange Taptite, Torx, #10C x 1/2
0120	7090122YP	2	WASHER, Flat, SAE, 3/8
0130	1960294SM	2	NUT, Hex Flange, Whiz Lock, 1/4-20
0140	7012080SM	2	CABLE TIE, 7"
0150	7301086BMYP	1	BRACKET, Cable, Parking Brake
0160	7090072SM	2	CAPSCREW, Hex Head, 1/4-20 x 5/8, G5
0170	7091594SM	2	PIN, Cotter, Self Locking, 1/2
0180	7090122YP	2	WASHER, Flat, 3/8
0190	7103436YP	1	ROD, Park Brake
0200	7301092AYP	2	TAB, Spring, Park Brake
0210	1925003SM	2	SCREW, Hex Washer Head, Taptite, 1/4-20 x 1/2
0220	2159106SM	2	SPRING, Extension, 4-1/4"

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Lift Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990165



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Lift Group

REF NO	PART NO.	QTY.	DESCRIPTION
0010	1960379SM	2	NUT, Hex Lock, ESNA, 1/2-13
0020	1737417YP	2	TRUNNION, Unthreaded
0030	7301097BMYP	1	SUPPORT, Hanger
0040	1930644SM	2	NUT, Hex Flange, Two Way Lock, 1/2-13
0050	1913744SM	2	NUT, Hex Jam, 1/2-13, NC-2B
0060	1736081YP	2	ROD, Front Bail
0080	1960170SM	4	WASHER, 1/2
0090	7091503SM	4	HAIR PIN, 3/32 x 1-1/2
0110	7092126SM	4	NUT, Hex Center Lock, 1/4-20
0120	7091601SM	4	NUT, Hex Flange Lock, 5/16-18, G5
0130	015X98MA	4	NUT, Flange Lock, 3/8-16
0140	7300028BMYP	2	BRACKET, Deck Hanger
0150	7091811SM	2	BOLT, Hex Flange, 5/16-18 x 5/8, G5
0160	7027168SM	2	CAPSCREW, Hex Head, 5/16-18 x 1, G5
0170	7091593SM	2	PIN, Cotter, Self Lock, 3/8
0180	7301125BMYP	1	SPACER, Bearing, 1/4
0190	7026196SM	1	BEARING, Flange, 3/4 ID
0200	7091495SM	4	CAPSCREW, Hex Head, 1/4-20 x 3/4, G5
0210	7400011BMYP	1	LIFT, Deck
0220	7091619SM	4	NUT, Hex Flange Lock, 3/8-16
0230	7023649YP	1	WASHER, Nylon 5/16
0240	7090673SM	1	PIN, Cotter, .06 x 1/2
0250	164X34MA	1	SPRING, Compression
0260	1734141SM	1	SWITCH, Rocker, Height Of Cut
0270	578309MA	1	PIN, Clevis, 1/4 x 1"
0280	7301119BCYP	1	LEVER, Indicator, Height Of Cut
0290	7091304SM	4	CAPSCREW, Hex Head, 3/8-16 x 1, G5
0300	7301103BMYP	1	BRACKET, Mount, Motor
0310	1668344SM	1	PIN, Shear, 1/4 x 1-3/4"
0320	7103818YP	1	MOTOR, Actuator, Lift, Deck
0330	7091584SM	1	NUT, Hex Flange Lock, 1/4-20
0340	7301105BMYP	1	BRACKET, Lift, Deck, Secondary
0350	009X54MA	1	BOLT, Shoulder, 1/4-20 x 0.70
0360	1722460SM	1	PIN, Quick, 1-3/16"
0370	1734217SM	2	ROD, 4-3/8" Long
0380	1916950SM	2	NUT, Hex, 3/8-16, NC-2B
0390	1731894SM	2	TRUNNION
0400	1666294SM	4	SPACER, 3/8 ID x 5/8 OD, 1/2" Long
0410	1960687SM	2	NUT, Hex Flange, ESNA, 3/8-16
0420	1732129SM	2	BOLT, Shoulder, 3/8-16 x 0.94" (.71" Thread Length)
0430	7301098BMYP	2	BAR, Rear Lift
0440	094067MA	2	PIN, Threaded Shoulder, 3/8-16 x 1-1/2 (1/2" Thread Length)
0500	7301120BMYP	1	BRACKET, Indicator, Height Of Cut

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Lift Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990165



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Lift Group

REF NO	PART NO.	QTY.	DESCRIPTION
0540	7090122YP	2	WASHER, Flat, 3/8

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

Wheel & Tire Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990157



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Wheel & Tire Group

REF NO	PART NO.	QTY.	DESCRIPTION
0010	7090839SM	2	NUT, Hex Center Lock, 7/16-14, G5
0020	7104645YP	2	WHEEL & TIRE ASSEMBLY, 18 x 8.50 - 8, K500, Rear
0020-10	7012234SM	1	VALVE STEM & CAP (Included with Ref. No. 0020)
0020-20	-----	1	* TIRE, K500 Tread, Kenda, 18 x 8.50 x 8 (Included with Ref. No. 0020)
0020-30	-----	1	* RIM, 8 x 6.50, 4 Hole (Included with Ref. No. 0020)
0030	1734841SM	2	TUBE, Caster Wheel, 4-1/2"
0040	7091772SM	2	CAPSCREW, Hex Head, 7/16-14 x 6, G5
0050	1734013SM	2	WHEEL & TIRE ASSEMBLY, Caster, Front
0050-10	2172353SM	1	VALVE STEM & CAP (Included with Ref. No. 0050)
0050-20	7104428YP	1	ZERK, Grease, 8M x 1, 45 Degree (Included with Ref. No. 0050)
0050-30	-----	1	* TIRE, 11 x 4.00 - 5 (Included with Ref. No. 0050)
0050-40	-----	1	* RIM, Wheel, 3.00 Wide (Included with Ref. No. 0050)
0050-50	1739281YP	2	BUSHING, 5/8 ID x 1-3/8 OD x 5/8" Long (Included with Ref. No. 0050)
0060	7027192SM	8	NUT, Lug, 1/2-20

Footnotes

* Not a serviceable part. Order complete Wheel & Tire Assembly.

The above parts group applies to the following Mfg. Nos.:









2691041-00 - EZT2042

2691041-01 - EZT2042

Decal Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990160



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Decal Group

REF NO	PART NO.	QTY.	DESCRIPTION
0010	1738309YP	4	DECAL, Logo
0020	1753469YP	1	DECAL, Model
0030	1753386YP	1	DECAL, Warning, LH
0040	1753388YP	1	DECAL, Danger, CE
0050	1753387YP	1	DECAL, Warning, RH
0060	7104226YP	1	DECAL, Handle, Ground Speed, LH
0070	7104227YP	1	DECAL, Handle, Ground Speed, RH
0080	7104231YP	2	DECAL, Release, Transaxle
0090	7104232YP	1	DECAL, Panel, Control, LH
0100	7104233YP	1	DECAL, Panel, Control, RH
0110	7104597YP	1	DECAL, Screen, Rotating
0120	1753350YP	1	DECAL, Hot Exhaust
0130	7101940YP	1	DECAL, Weight Limitation
0140	7102763YP	1	DECAL, Cut Width, 107cm
0150	5102420YP	2	DECAL, Danger, Mower Deck
0160	5102457YP	1	DECAL, Danger Discharge
0210	44X5936MA	1	DECAL, Heat Shield Warning

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

French Guard Group - Frame & Deck

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990230_2990256



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

French Guard Group - Frame & Deck

REF NO	PART NO.	QTY.	DESCRIPTION
0010	1753699BMYP	1	COVER, French Guard
0020	1753698BMYP	1	BRACKET, Support
0030	1736518AYP	3	BRACKET, Cover, Belt, Front
0040	1930601SM	6	SCREW, Hex Washer Head, Taptite, 5/16-18 x 5/8
0050	1931277SM	3	NUT, Hex Flange, Whiz Lock, 5/16-18
0060	1753670BMYP	1	BRACKET, Cover, Belt, Front
0070	1753697BMYP	1	PLATE, French Guard, Side
1010	1753457BMYP	1	GUARD, French Guard, Rear
1020	1753459BMYP	1	GUARD, Side Plate, LH
1030	1753460BMYP	1	GUARD, Side Plate, RH

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

42" Mower Deck - Housing, Arbors & Blades Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990257



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

42" Mower Deck - Housing, Arbors & Blades Group

REF NO	PART NO.	QTY.	DESCRIPTION
0020	1920676SM	2	CAPSCREW, Hex Head, 7/16-14 x 1, G5
0030	1656916SM	4	WASHER, Spring, 0.475ID x 1-3/4 OD
0040	7091524YP	12	SCREW, Hex Washer Head, Self Tap, 5/16-18 x 1-1/4
0050	1752100YP	2	BLADE, 42"
0060	1750458BZYP	1	PLATE, Spindle, LH
0070-10	1735323YP	2	SHIELD, Arbor
0070-20	1735326YP	1	SHAFT, Spindle
0070-30	1735328YP	2	SPACER, Bearing
0070-40	1735399YP	2	BEARING, Ball, 20mm
0070-50	1735573YP	1	HOUSING, Spindle, Cast Aluminum
0070-51	1704314SM	1	FITTING, Zerk (Included with Ref. No 0070-50)
0070-60	1960766YP	2	RING, Self Lock
0090	1737457YP	2	SPACER, Pulley
0100	1737835YP	2	PULLEY, V Deep Groove
0110	1918199SM	2	LOCKWASHER, Spring, 7/16
0120	1923027SM	2	CAPSCREW, Hex Head, 7/16-14 x 1-3/4, G5
0140	1736504BIYP	1	HOUSING, Mower, 42"
0160	1750457BZYP	1	PLATE, Spindle, RH
0170	1927557SM	2	NUT, Hex Flange, Whiz Lock, 5/16-18
0180	1960519SM	1	NUT, Push, 1/2
0190	7104733YP	1	CHUTE, Discharge
0200	7104640YP	1	ROD, Pivot, Discharge Chute
0210	7035813SM	1	SPRING, Torsion, Discharge Chute
0220	7301176BZYP	1	BRACKET, Hinge
1190	7091524YP	4	SCREW, Hex Washer Head, Self Tap, 5/16-18 x 1-1/4

Footnotes

The above parts group applies to the following Mfg. Nos.:


2691041-00 - EZT2042

2691041-01 - EZT2042

42" Mower Deck - Clutch & Support Group

NOTE: Unless noted otherwise,
use the standard hardware torque
specification chart.

2990162



The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

42" Mower Deck - Clutch & Support Group

REF NO	PART NO.	QTY.	DESCRIPTION
0010	1960687SM	4	NUT, Hex Flange, ESNA, 3/8-16
0020	1731403ASM	1	BRACKET, Gauge Wheel, Rear, LH
0030	1714760SM	4	WHEEL, 2.00 Wide
0040	1960170SM	4	WASHER, 1/2
0050	2108765SM	4	BOLT, Wheel, 3/8-16 x 2-3/4 (3/4" Thread)
0060	1931277SM	22	NUT, Hex Flange, Whiz Lock, 5/16-18
0070	1931333SM	21	BOLT, Carriage, Short Neck, 5/16-18 x 3/4, G5
0080	7301165BZYP	1	BRACKET, Support, Deck, Rear, LH
0090	1732956SM	1	V-BELT, Arbor Drive, .44" Deep-Groove
0100	1733577BMYP	1	SUPPORT, Brace
0110	1931211SM	2	NUT, Hex Flange, Whiz Lock, 3/8-16
0120	7300569BZYP	1	BRACKET, Idler
0130	1927557SM	2	NUT, Hex Flange, Whiz Lock, 5/16-18
0140	1734243BMYP	1	ARM, Idler
0150	7016719YP	1	SPACER, 3/8 ID x 3/4 OD x 1/2" Long
0160	7301201BZYP	1	GUIDE, Belt, Idler
0170	1736540YP	2	PULLEY, Idle
0180	7091560YP	2	CAPSCREW, Hex Head, 3/8-16 x 2-1/4, G5
0190	7090122YP	2	WASHER, Flat, 3/8
0200	1960534SM	2	WASHER, 3/8
0210	1714255SM	1	SPACER, 1/2 ID x 1-1/2 OD x 3/8" Long
0220	7031079YP	1	WASHER, Thrust
0230	1733844SM	1	SPRING, Extension, 8"
0240	7301172BZYP	1	BRACKET, Support, Deck, Rear, RH
0250	7301171BZYP	1	BRACKET, Gauge Wheel, Rear, RH
0260	1731402ASM	1	BRACKET, Gauge Wheel, Front, RH
0270	1919381SM	1	WASHER, 5/16
0280	7301170BZYP	1	BRACKET, Hanger, Front, 42"
0290	1931338SM	1	BOLT, Carriage, Short Neck, 5/16-18 x 1-3/4, G5
0300	092426E701MA	2	PLATE, Rear
0310	7091775SM	1	WASHER, Flat, 1/2 ID x 2-1/2 OD
0320	1924940SM	1	WASHER, 3/8
0330	7091591SM	1	BOLT, Hex Flange, 5/16-18, x 1, G5
0340	1732258BMYP	1	BRACKET, Gauge Wheel, Front, LH
0350	1931334SM	1	BOLT, Carriage, Short Neck, 5/16-18 7/8, G5
0360	1935048SM	1	NUT, Hex Flange, Two Way Lock, 5/16-18

Footnotes

The above parts group applies to the following Mfg. Nos.:

2691041-00 - EZT2042

2691041-01 - EZT2042

Hardware Identification & Torque Specifications

Torque Specification Chart								
FOR STANDARD METRIC MACHINE HARDWARE (Tolerance ± 20%)								
Property Class	 Class 5.6		 Class 8.8		 Class 10.9		 Class 12.9	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
M3	5.88	.56	13.44	1.28	19.2	1.80	22.92	2.15
M4	13.44	1.28	30.72	2.90	43.44	4.10	52.56	4.95
M5	26.4	2.50	60.96	5.75	5.97	8.10	7.15	9.7
M6	44.64	4.3	7.3	9.9	10.3	14	12.1	16.5
M7	5.2	7.1	12.1	16.5	16.9	23	19.9	27
M8	7.7	10.5	17.7	24	25	34	29	40
M10	15	21	35	48	50	67	59	81
M12	26	36	61	83	86.2	117	103	140
M14	42	58	101	132	136	185	162	220
M16	64	88	147	200	210	285	250	340
M18	89	121	202	275	287	390	346	470
M20	126	171	290	390	405	550	486	660
M22	169	230	390	530	559	745	656	890
M24	217	295	497	375	708	960	840	1140
M27	320	435	733	995	1032	1400	1239	1680
M30	435	590	995	1350	1401	1900	1681	2280
M33	590	800	1349	1830	1902	2580	2278	3090
M36	759	1030	1740	2360	2441	3310	2935	3980
M39	988	1340	2249	3050	3163	4290	3798	5150


The guides and ruler furnished below are designed to help you select the appropriate hardware.



Nut, M8

Thread
Diameter (mm)
Inside
Diameter (in)
Threads
per inch


Nut, 1/2-16



Screw, M8- 1.25 x 25

Thread
Diameter (mm)
Body
Diameter
Distance between
threads (mm)
Threads
per inch
Body
Length (mm)
Body
Length (in)

Screw, 1/2- 16 x 2



Standard Hardware Sizing

When a washer or nut is identified as **1/2"** (M8), this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch (8mm metric thread diameter); if a second number is present it represents the *threads per inch* (distance between threads).

When bolt or capscrew is identified as **1/2 - 16 x 2"** (M8 - 1.25 x 50), this means the *Nominal size*, or body diameter is 1/2 inch (8mm metric thread diameter), the second number, 16, represents the *threads per inch*, (1.25 thread diameter). The final number is the body length of the bolt or screw, 2 inches (50mm).

Torque Specification Chart						
FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)						
Hardware Grade	 SAE Grade 2		 SAE Grade 5		 SAE Grade 8	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.0
5/16-18	11	15.0	17	23.1	25	34.0
5/16-24	12	16.3	19	25.8	29	34.0
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.0
7/16-14	30	40.8	50	68.0	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.0	75	102.0	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.0
9/16-18	75	102.0	120	163.2	170	231.2
5/8-11	90	122.4	150	204.0	220	299.2
5/8-18	100	136	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.0
3/4-16	180	244.8	300	408.0	420	571.2
7/8-9	140	190.4	400	544.0	600	816.0
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,244.0
1-12	240	326.4	640	870.4	1,000	1,360.0

NOTES


- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- Recommended seating torque values for locknuts:
 - for prevailing torque locknuts - use 65% of grade 5 torques.
 - for flange whizlock nuts and screws - use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings, all torque values must meet this specification.

Common Hardware Types

Hex Head Capscrew



Washer



Lockwasher

Carriage Bolt



Hex Nut

Wrench & Fastener Size Guide

				
1/4" Bolt or Nut Wrench—7/16"	5/16" Bolt or Nut Wrench—1/2"	3/8" Bolt or Nut Wrench—9/16"	7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"	1/2" Bolt or Nut Wrench—3/4"
M6 Bolt or Nut Wrench—10mm	M8 Bolt or Nut Wrench—13mm	M10 Bolt or Nut Wrench—17mm	M12 Bolt or Nut Wrench—19mm	M14 Bolt or Nut Wrench—22 mm

**IT IS THE POLICY OF BRIGGS & STRATTON CORP. TO IMPROVE ITS PRODUCTS
WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO
MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY
OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS.**

Briggs & Stratton Power Products Group

12301 W. Wirth Street
Wauwatosa, WI, 53222 USA

www.murray.com

© Copyright 2011 by Briggs & Stratton Corporation
Milwaukee, WI, USA. All rights reserved